

# REPORT DOCUMENTATION PAGE

AFRL-SR-AR-TR-05-

data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0114) 4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to provide information unless it is specifically required by law. valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

0097

the  
ing  
currently

1. REPORT DATE (DD-MM-YYYY) 09/22/2004		2. REPORT TYPE Final		3. DATES COVERED (From - To) 05/01/03 - 07/31/04	
4. TITLE AND SUBTITLE Zero electron kinetic energy/velocity map imaging (ZEKE/VMI)  spectroscopy of negative ions				5a. CONTRACT NUMBER F49620-03-0261	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Daniel M. Neumark				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  University of California Sponsored Projects Office 336 Sproul Hall Berkeley, CA 94720				8. PERFORMING ORGANIZATION REPORT NUMBER  011988-005	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR of Scientific Research 801 N. Randolph St., #732 Arlington, VA 22203-1977				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) F49620-03-0261 03-1-0261	
12. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release/distribution is unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Construction of the slow photoelectron velocity-map imaging (SEVI) instrument was completed and the first results were obtained, demonstrating the power of the technique in measuring high resolution (~0.5 meV) photodetachment spectra of negative ions. Work is continuing on improving the performance of this instrument, with particular focus on reducing stray magnetic fields in the detection region and modifying the ion source and mass spectrometer to achieve higher ion signal and stability.					
15. SUBJECT TERMS zero electron kinetic energy/velocity map imaging					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Unlimited (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON Daniel M. Neumark
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			19b. TELEPHONE NUMBER (include area code) (510) 642-3502

Standard Form 298 (Rev. 8-98)  
Prescribed by ANSI Std. Z39.18

## FINAL TECHNICAL REPORT

**TITLE:** Zero Electron Kinetic Energy/Velocity Map Imaging (ZEKE/VMI)  
Spectroscopy of Negative Ions

**PRINCIPAL INVESTIGATOR:** Daniel M. Neumark

**DATE:** 05/01/03 – 07/31/04

**GRANT NO:** F49620-03-0261 03-1-0261

**SENIOR RESEARCH PERSONNEL:** none, other than Principal Investigator

**JUNIOR RESEARCH PERSONNEL:** Art Bragg, AnnElise Faulhaber, Michael Ferguson, Scott Goncher, Aster Kammrath, Katherine Kautzman, Jeong Hyun Kim, Giovanni Meloni, Matt Nee, Andreas Osterwalder, Darcy Peterka, Sean Sheehan, Niels Sveum, David Szpunar, Jan Verlet, Chia Wang, Jia Zhou

### Abstract:

Construction of the slow photoelectron velocity-map imaging (SEVI) instrument was completed and the first results were obtained, demonstrating the power of the technique in measuring high resolution ( $\sim 0.5$  meV) photodetachment spectra of negative ions. Work is continuing on improving the performance of this instrument, with particular focus on reducing stray magnetic fields in the detection region and modifying the ion source and mass spectrometer to achieve higher ion signal and stability.

### Final Technical Report:

The SEVI instrument was used to obtain high resolution photodetachment spectra of  $\text{I}^-$ ,  $\text{I}^-(\text{CO}_2)$ , and  $\text{Cl}^-\text{D}_2$ . The SEVI spectra of  $\text{I}^-$  and  $\text{I}^-(\text{CO}_2)$  served as test systems, since these ions were studied earlier in our group using anion zero electron kinetic energy (ZEKE) spectroscopy. The SEVI spectra were of comparable resolution but data acquisition times were improved by about a factor of 100. The  $\text{Cl}^-\text{D}_2$  SEVI spectrum showed partially resolved structure corresponding to a progression in the hindered rotor levels of the  $\text{Cl}^-\text{D}_2$  van der Waals complex, a result of considerable interest in fundamental reaction dynamics owing to the importance of this complex in the  $\text{Cl} + \text{D}_2$  reaction. Preliminary results on the SEVI spectrum of the methoxide anion ( $\text{CH}_3\text{O}^-$ ) show newly resolved structure owing to the interplay of spin-orbit and Jahn-Teller effects in the  $\text{CH}_3\text{O}$  radical that were not seen in conventional photoelectron spectra of this anion.

20050322 384

## **Publications**

A. Osterwalder, M. J. Nee, J. Zhou and D. M. Neumark, "High resolution photodetachment spectroscopy of negative ions via slow photoelectron imaging," J. Chem. Phys. 121, 6317 (2004).

## **Interactions**

Gordon Research Conference, Oxford University  
Oxford, London  
September 18-25, 2003

New Frontiers in Chemical Dynamics and Femtochemistry  
The University of York, Department of Chemistry  
Heslington York YO10 5DD  
October 25 – 30, 2003

XIVth Symposium on Atomic, Cluster and Surface Physics  
La Thuile  
Aosta, Italy  
January 2 – 6, 2004

227<sup>th</sup> ACS National Meeting  
Anaheim, CA  
March 28 – April 1, 2004

AFOSR Molecular Dynamics Contractors' Meeting  
New Port, Rhode Island  
May 24 –26, 2004

DICP Symposium on Molecular Dynamics  
Dalian, Liaoning  
P. R. China  
July 21-23, 2004